



## TECHNICAL SPECS

# DIAMOND TEK FRONT WHEEL

### SPECS



#### SIZES

2.75" x 17"  
3.5" x 17"  
3.75" x 17"



#### WEIGHT

5.51 lbs / 2.50 kg



#### MATERIALS

Wheels: Pre-preg carbon fibre  
Hubs: 6082 T6 Aluminium



#### VALVE STEM

BST Ultra-High-Speed 90°  
aluminium stem and cap



#### COMPLIANCE

DOT E and JWL compliant  
for street and track use



#### WARRANTY

2 Year Factory Warranty

### TESTS



#### RADIAL IMPACT LOAD (JASO T203-85)

357 kg



#### CORNERING FATIGUE LOAD

543 Nm



#### STATIC LOAD RATING

330 lbs / 150 kg



#### TORSION FATIGUE LOAD

568 Nm

FULLY COMPLIANT WITH ISO, JWL, and DOT E





## TECHNICAL SPECS

# DIAMOND TEK CONVENTIONAL REAR WHEEL

### SPECS



#### SIZES

4.5" x 17"     6" x 17"  
5" x 17"       6.25" x 17"  
5.5" x 17"



#### WEIGHT

8.82 lbs / 4.0 kg



#### MATERIALS

Wheels: Pre-preg carbon fibre  
Hubs: 6082 T6 Aluminium



#### VALVE STEM

BST Ultra-High-Speed 90°  
aluminium stem and cap



#### COMPLIANCE

DOT E and JWL compliant  
for street and track use



#### WARRANTY

2 Year Factory Warranty

### TESTS



#### RADIAL IMPACT LOAD (JASO T203-85)

445 kg



#### CORNERING FATIGUE LOAD

711 Nm



#### STATIC LOAD RATING

551 lbs / 250 kg



#### TORSION FATIGUE LOAD

995 Nm

FULLY COMPLIANT WITH ISO, JWL, and DOT E



**BST.**



TECHNICAL SPECS

# DIAMOND TEK OFFSET REAR WHEEL

SPECS



**SIZES**

5.5" x 17"  
5.75" x 17"  
6" x 17"



**WEIGHT**

6.6 lbs / 3.0 kg



**MATERIALS**

Wheels: Pre-preg carbon fibre  
Hubs: 6082 T6 Aluminium



**VALVE STEM**

BST Ultra-High-Speed 90°  
aluminium stem and cap



**COMPLIANCE**

DOT E and JWL compliant  
for street and track use



**WARRANTY**

2 Year Factory Warranty

TESTS



**RADIAL IMPACT LOAD  
(JASO T203-85)**

445 kg



**CORNERING FATIGUE LOAD**

711 Nm



**STATIC LOAD RATING**

551 lbs / 250 kg



**TORSION FATIGUE LOAD**

995 Nm

FULLY COMPLIANT WITH ISO, JWL, and DOT E

